

Intelligent nursing robot navigator

Change the lifestyle of the world's incontinence population

Luxury
Edition Intelligent
nursing bed



Are you experiencing these issues?



9 Core functions

01

Automatic monitoring

24-hour automatic monitoring of urination and defecation, opening the toilet door in 1 second

02

Automatic cleaning

360° automatic cleaning without dead corners after defecation

03

Automatic sewage discharge

Dirt is automatically discharged into the sewer

04

Automatic blow drying

Automatically blow dry after cleaning, keep dry at all times

05

Automatic flipping

Prevent prolonged sleep and pressure sores

06

Free adjustment

Feeding, reading, and watching TV shows no longer make life boring

07

Automatic air supply

Always maintain air circulation and keep your body dry

08

Bathing in bed

One person can operate it, and the shower water is automatically discharged into the sewer

09

Custom settings

Water temperature, wind temperature, and time can all be freely set to meet different needs

Authoritative certification is more reassuring

- Higher standards** Centered around users and caregivers
- More reassuring protection** Guangdong Quality Inspection and Inspection Center undertakes inspection, ensuring safety with greater confidence



01

Automatic monitoring system



24-hour real-time monitoring

Humidity sensor that has been awarded a national invention patent According to the system, open the toilet door in 1 second Urine and urine enter the toilet directly

360 ° after defecation Automatic cleaning without dead corners




Room temperature –45 °C free setting 360 ° no dead angle cleaning




Urine room temperature
cleaning



Urine cleaning with warm
water



Stool room temperature
cleaning




Warm water cleaning of
feces

1. Silicone material, environmentally
friendly, safe, and hygienic


2. Privacy protection to
prevent awkwardness

4. Free adjustment of water
temperature for more
caring care


3. Automatic cleaning after 3
bowel movements, simple
and convenient



Farewell from now on Every
day carrying feces and urine




Excrement entering the pool



Crushed excrement



排尿管



Controllable wind speed regulation



Automatic flipping

Self created zero gravity and no sense of turning over

Prevent the growth of pressure ulcers Let the skin breathe more freely



Prevent the growth of pressure ulcers

When turning left, the weight of the human body is on the right side, and there will be a 3–5cm gap between the right body and the bed surface. This gap allows the skin pores to breathe freely, preventing the growth of pressure ulcers



Free adjustment



Free adjustment at any angle



Back lifting




Leg lift




Falling leg



Sitting posture



Meal board



Shift machine

07

Automatic air supply

Timed automatic air supply
Always protect the body from dryness



Bathing in bed

1 person

Can easily help the elderly take a shower



After taking a shower

Water flows automatically into the sewer



Inflatable headrests



Warm water regulation



Water flow regulation



Custom settings

All parameters can be customized
and adjusted
Based on one's own situation
Adjusting a plan that is more suitable
for oneself



Protective function

Anti drop, more reliable protective measures, foldable design, more convenient to use



Activity board feeding is more considerate



dual-control system

Two sets of control systems to meet the usage needs of different groups of people



Fully functional, suitable for medical and accompanying operations



Simple, clear, and with clear buttons, suitable for patients to control themselves or for the elderly to use

Thai latex mattress

Environmental
protection and health


Prevent skin allergies

Soft texture

Skin friendly

Stable and durable

Breathable and anti
pressure ulcer





Thai natural latex mattress



Okin Motor from Germany

Silent design

BRUSHLESS
DC MOTOR


0.01s efficient
response

45dB silent operation

overload
protection

Overheat
protection

Smooth lifting
and lowering



Stable and more
reassuring




safe

Safe use of 24V electricity for the entire equipment What is safe voltage

The safe ultra-low voltage allowed for continuous human contact under general environmental conditions is 24V

Don't worry, I'm at ease



Dare to promise 3-year warranty for lifetime maintenance

The above service allows you to have no worries at all



Derived from confidence in quality

defend
3-year warranty

sell
after-sale service

straight
Authentic guarantee

Products

Detailed understanding of product information

